



HS TIMBER GROUP

HS Timber Group Romania

Quality class description

Biomass

August 2020

Chips

Chips comes from wood processing in profiling lines or from chipping the wood waste in special chipping machines. The dimensions of the splinters shall not exceed 50 cm in length and the cross section shall not exceed 50 cm².



Suitable Chips

Delivered chips has to be clean, without any contamination and occurrence of inappropriate objects as: conifers branches, soil, stones, plastic wastes, metallic objects, pieces of wood, etc.



Unsuitable Chips, inappropriate objects

For chips deliveries with a water content higher than 55%, a 50% price reduction will be applied. Mixed deliveries as well as oversized pieces will be overtaken with a minimum price reduction of 10% (reclamation sheet); if fraction test is even worse delivery will be overtaken with 20% price reduction or rejected.

In the case of fine fraction <7 mm proportion exceeds normal values, price decreases may be applied as follows:

Fraction Percentage <7mm	
0 - 25,0 %	suitable material
25,1 - 35,0 %	price reduction (-5%)
35,1 - 45,0 %	price reduction (-10%)
> 45,1 %	transport rejection



Unsuitable Chips – Fine Fraction

Wood waste

Wood wastes comes from logs sawing and sawing, with a length of 2 to 4 m.



Suitable Wood Waste

Deliveries containing inappropriate objects such as branches, soil, stones, plastic wastes, metallic objects, pieces of wood, etc. are not allowed. The delivered material must be bundled (minimum 3 bindings per bundle). The steel bindings are not accepted. Unbundled wood wastes will be overtake and paid with 10% price reduction.



Unbundled Wood Wastes

Bark

The bark comes from debarking the logs before processing them in the saw. The dimensions of the pieces must not exceed 50 cm in length and the cross section shall not exceed 50 cm².



Suitable Bark

Delivered bark must be clean, without any contamination and occurrence of inappropriate objects as: conifers branches, soil, stones, plastic wastes, metallic objects, pieces of wood, etc.



Unsuitable Bark

In the case of fine fraction <7 mm proportion exceeds normal values, price decreases may be applied as follows:

Fraction Percentage <7mm	
0 - 25,0 %	suitable material
25,1 - 35,0 %	price reduction (-5%)
35,1 - 45,0 %	price reduction (-10%)
> 45,1 %	transport rejection

For bark deliveries with a water content higher than 55%, a 50% price reduction will be applied.

Mixed deliveries as well as oversized pieces will be overtaken with a minimum price reduction of 10% (reclamation sheet); if fraction test is even worse delivery will be overtaken with 20% price reduction or rejected.

Firewood

Firewood must be dimensioned in length. The accepted lengths are 2, 3 or 4 m. The maximum diameters accepted are: 80 cm for softwood; 60 cm for hardwood.

Mixed deliveries of firewood and rest after manipulations are not allowed.

Delivered firewood must to be clean, without any contamination and occurrence of inappropriate objects as: branches, soil, stones, plastic wastes, metallic objects, pieces of wood, etc.



Unsuitable firewood

Contact



SEBEȘ

Str. Industriilor nr. 1, 515800 Sebeș, jud. Alba, ROMÂNIA

Tel.: +40 258 806 300

Fax.: +40 258 806 301

sebes@hs.ro



RĂDĂUȚI

Str. Austriei nr. 1, 725400 Rădăuți, jud. Suceava, ROMÂNIA

Tel.: +40 230 207 400

Fax.: +40 230 207 399

radauti@hs.ro



RECI

Comuna Reci nr. 673, 527145, jud. Covasna, ROMÂNIA

Tel.: +40 367 800 188

Fax.: +40 372 146 599

reci@hs.ro